NATIONAL COVID-19 RECOVERY FRAMEWORK



Timeline Target

Total population that has received two (2) doses of vaccination

50%

70%

80%



CONTAINMENT PHASE

Minimise the risk of community transmission while maximising vaccination coverage

- Accelerate vaccination rates.
- Stringent border control.
- Enhanced domestic movement restrictions including on workplace, businesses, and schools where outbreaks occur.
- Prepare vaccine booster programme
- The implementation of "Operasi Pulih"



PREPARATION PHASE

Prevent overflow of patients in isolation centers while minimizing COVID-19 deaths

.........

- Continued measures to minimize the risk of community transmission including the extension of "Operasi Pulih".
- Implementation and expansion of home isolation policy for COVID-19 patients (asymptomatic and patients with mild symptoms).
- Vaccination program to include individuals aged 12 to 17 years.
- Commence vaccine booster program for selected groups.



TRANSITION PHASE

Minimize serious illness, hospitalizations and deaths

- Maximize vaccination coverage including boosters.
- Reporting to shift from daily case numbers to weekly averages and focus on serious illness and deaths.

.......

- Continue home isolation policy for asymptomatic and mildly symptomatic COVID-19 patients
- Phased re-opening of mosques and places of worship, workplaces and business premises, and schools at limited capacity and SOPs for fully vaccinated individuals with easing of Business Continuity Plans and possible ongoing low-level restrictions.
- Gathering permitted with limited capacity and SOPs.
- Contact tracing and quarantine measures to focus on the prevention of large clusters.
- Establish a Travel Green List with reduced restrictions on inbound and outbound international travel for vaccinated individuals.
- · Health risk management of work quarters



ENDEMIC PHASE

Living with COVID-19 with minimal disruptions on day-to-day activities

- Manage COVID-19 consistent with seasonal influenza and other infectious diseases
- Enhance vaccine booster program evaluate the need for further boosters similar to seasonal influenza.
- Gradual full re-opening of mosque and places of worship, workplaces business premises, and schools.
- Relaxation on inbound and outbound international travel.



Wearing face masks



Physical distancing



Avoid shaking hands



Maintain hand hygiene



Check your body temparature



Antigen Rapid Test (ART)



Practice respiratory hygiene



when sick



Download BruHealth app and scan QR code upon entering premises





Health response

The National COVID-19 Vaccination Programme



RT-PCR Test



Digital Quarantine Order



The National Coordination Centre COVID-19 (N3C19)



Isolation Centres



Contact Tracing



Monitoring of patients on so



Treatment for severe diseases



The National COVID-19 Vaccination



RT-PCR Test for symptomatic only



rigital Quarantine order for selected group of cases